

BisonBord®

BisonBord® sold in pack sizes only

Thickness	Pack size	Sheet sizes & tonnage	
		2750mm x 1840mm	3660mm x 1840mm
09mm	50	1.64 tons	n/a
12mm	40	1.72 tons	2.27 tons
16mm	30	1.59 tons	2.07 tons
18mm	30	1.78 tons	2.35 tons
22mm	25	1.83 tons	2.43 tons
25mm	20	1.61 tons	2.13 tons
32mm	15	1.55 tons	2.04 tons

BisonBord® E1

BisonBord® E1 is an MTO product

BisonBord® E1 sold in pack sizes only

Thickness	Pack size	Sheet sizes & tonnage	
		2750mm x 1840mm	
16mm	30	1.59 tons	

BisonBord® MR

BisonBord® MR replaces BisonBord® V313

BisonBord® MR is made to an E1 specification

BisonBord® MR is an MTO product

BisonLam® MR sold in pack sizes only

Thickness	Pack size	Sheet sizes & tonnage	
		2750mm x 1840mm	
12mm	40	1.72 tons	
16mm	30	1.66 tons	
18mm	30	1.78 tons	

Abbreviations:

E1 European standard for low formaldehyde emissions

MR Moisture Resistant

MTO Make To Order; Minimum run quantities dependent

BisonLam®

Super White décor on BisonBord® core

BisonLam® sold in pack sizes only

Thickness	Pack size	Sheet sizes & tonnage	
		2750mm x 1840mm	3660mm x 1840mm
12mm	40	1.84 tons	2.43 tons
16mm	30	1.71 tons	2.20 tons
18mm	30	1.93 tons	2.50 tons
22mm	25	1.88 tons	2.49 tons
32mm	15	1.62 tons	2.15 tons
		Finishes	
		Ashwood™	Peen™
		Natural Touch™	
		Peen™	

BisonLam® MR

Super White décor on BisonBord® MR core

BisonBord® MR is made to an E1 specification

BisonBord® MR is an MTO product

BisonLam® MR sold in pack sizes only

Thickness	Pack size	Sheet sizes & tonnage	
		2750mm x 1840mm	
16mm	30	1.76 tons	
		Finishes	
		Peen™	

Abbreviations:

- E1 European standard for low formaldehyde emissions
- MR Moisture Resistant
- MTO Make To Order; Minimum run quantities dependent

BisonLam® Shelving

Super White décor on BisonBord® core with white edging strip applied

BisonLam® Shelving sold in pack sizes only

Thickness	Pack size	Tonnage	Length	Width
16mm	30	0.21 tons	1830mm	300mm
16mm	30	0.26 tons	1830mm	380mm
16mm	30	0.30 tons	1830mm	455mm
16mm	30	0.35 tons	1830mm	530mm
16mm	30	0.39 tons	1830mm	610mm
16mm	30	0.30 tons	2750mm	300mm
16mm	30	0.37 tons	2750mm	380mm
16mm	30	0.44 tons	2750mm	455mm
16mm	30	0.50 tons	2750mm	530mm
16mm	30	0.57 tons	2750mm	610mm